SANITARY GASKET COMPANY

Products of integrity...from people of integrity.

EXTRUSIONS



EXTRUSIONS

Newman's extrusion capabilities are available in straight lengths or in bonded shapes to form an endless component. Newman can extrude a custom profile (limited to 1" in diameter) from 2 feet to 50 feet** in lengths from our Buna-N, Viton®, and EPDM compounds.

Custom extrusions can be made to your specifications in compounds that meet FDA, USDA, and 3-A Sanitary Standards certifications. Our specially formulated compounds make Newman your number one source for these superior FDA required components. We currently have several standard extrusion molds available for your use. The column on the right shows some of the profile and dimensions of the extrusion molds that are in stock along with a photo of sample end profiles from various compounds.

> ** 5 feet - 20 feet lengths is customary; limited profiles available in 50 foot rolls









Sheet Material


Newman Sanitary Gasket Company is currently making available our high quality sheet material made from our own specially formulated compounds. Sheet material is available in various thicknesses and in 36" standard width. Material can be ordered by the linear inch and is most suited for die cutting parts.




#964-222 SPE-4900-01 **Black Buna**



#402-6229 SPE-4900-44 White Buna



#932-398 SPE-4900-02A1 **White Buna**



#41186-B SPE-4900-23K **White Buna**



SPE-4900-78 **Black Buna** SPE-4900-88 White Buna SPE-4900-117 **Black EPDM** SPE-4900-121 White EPDM SPE-4900-125 **Black Viton**




SPE-4900-109 White Buna





SPE-4900-71 **Black Viton** SPE-4900-51 **Black EPDM** SPE-4900-132 White Buna



SPE-4900-112 White Buna







CORD STOCK

Newman Sanitary Gasket has available a wide range of cord stock in various materials and thickness. Listed below are the materials and the dimension of the cross sections that are currently available. These cord stocks can be purchased by the foot or custom made into 0-Rings. Call for pricing and availability.

Buna-N Black	.063	.070	.093	.103	.125	.139	.156	.187	.218	.250	.275	.281	.312	.343
	.375	.406	.437	.468	.500	.562	.625	.750	.875	1.000	1.500			
Buna-N White	.063	.093	.125	.139	.156	.187	.218	.250	.275	.281	.312	.343	.375	.406
	.437	.468	.500	.562	.625	.750	.875	1.000						
EPDM Black	.063	.093	.125	.139	.156	.187	.210	.218	.236	.250	.275	.281	.312	.343
	.375	.406	.437	.468	.500	.562	.625	.750	.875	1.000				
EPDM White	.312	.500	1.000											
Silicone White	.125	.250	.275	.312	.375	.500	.625	.750						
Silicone Red	.139	.250	.750	.875										
Vita n® Dia ak	002	002	125	120	150	107	210	210	250	275	201	212	242	275
Viton® Black	.063	.093	.125	.139	.156	.187	.210	.218	.250	.275	.281	.312	.343	.375
	.406	.437	.468	.500	.562	.625	.750							
Viton® White	.125	.156	.187	.218	.275	.281	.312	.343	.375	.406	.437	.468	.500	.562
	.625	.750												

SHEET MATERIAL

Newman Sanitary Gasket Company is currently making available our high quality sheet material made from our own specially formulated compounds. Sheet material is available in various thickness and in 36" standard width. Material can be ordered by the liner inch and is suitable for die cutting.



Buna-N Black	1/8"					
Buna-N White	1/8"					
EPDM Black	3/64"	1/16"	5/64"	3/32"	3/16"	1/4"
EPDM White	1/16"	1/8"	1/4"			
Silicone Red	1/32"	1/16"	1/8"	3/16"		
Viton® Black	1/16"	1/8"				



P.O. Box 222, Lebanon, Ohio 45036 • 513.932.7379 • Fax 513.932.4493 www.newmangasket.com • e-mail: customer@newmangasket.com